AMENDMENT OF SOLICIT	ATION/MODIF	ICATION OF CONTRACT		1. CONTRACT II	D CODE	PAGE OF	
2. AMENDMENT/MODIFICATION NO.	3. EFFECTIVE DATE	4 REQUISITION BURCHASE BEO NO			5 DROJECT	NO.(If applic	2
2. AMENDMENT/MODIFICATION NO.	10-Aug-2005	4. REQUISITION/PURCHASE REQ. NO. N0017405R0040A			3. PROJECT	NO.(II applic	ibie)
6. ISSUED BY CODE	10-Aug-2003	7. ADMINISTERED BY (If other than item 6)		COD	E		
INDIAN HEAD DIV., NAVSURFWARCEN 101 STRAUSS AVENUE INDIAN HEAD MD 20640-5035		See Item 6		COD			
8. NAME AND ADDRESS OF CONTRACTOR	(No., Street, County, S	State and Zip Code)	Х	9A. AMENDME N00174-05-R-00	NT OF SO	LICITATIO	ON NO.
			Х	9B. DATED (SE 08-Aug-2005		1)	
				10A. MOD. OF 0	CONTRAC	T/ORDER	NO.
				10B. DATED (S	SEE ITEM	13)	
CODE	FACILITY COD		217				
X The above numbered solicitation is amended as set forth		PPLIES TO AMENDMENTS OF SOLIC		is extended, X	is not exter		
Offer must acknowledge receipt of this amendment properties of the properties of the same of the properties of the properties of the properties of the provided each telegram or letter makes reference to the provided each telegram or letter makes reference to the properties of the properties of the provided each telegram or letter makes reference to the properties of the provided each telegram or letter makes reference to the properties of the provided each telegram or letter makes reference to the provided each telegram or lette	copies of the amendmen eference to the solicitation a HE RECEIPT OF OFFERS I mendment you desire to char e solicitation and this amend	nt; (b) By acknowledging receipt of this amendmen and amendment numbers. FAILURE OF YOUR A PRIOR TO THE HOUR AND DATE SPECIFIED age an offer already submitted, such change may be	nt on ACK! MA e mae	each copy of the offe NOWLEDGMENT T Y RESULT IN de by telegram or lette	ОВЕ		
13. THIS ITE	M APPLIES ONLY TO	O MODIFICATIONS OF CONTRACTS/	ORI	DERS.			
A. THIS CHANGE ORDER IS ISSUED PUR CONTRACT ORDER NO. IN ITEM 10A.		T/ORDER NO. AS DESCRIBED IN ITE authority) THE CHANGES SET FORTH			ADE IN T	НЕ	
B. THE ABOVE NUMBERED CONTRACT/ office, appropriation date, etc.) SET FOR C. THIS SUPPLEMENTAL AGREEMENT IS	ΓΗ IN ITEM 14, PURS	SUANT TO THE AUTHORITY OF FAI			s changes in	n paying	
D. OTHER (Specify type of modification and	l authority)						
E. IMPORTANT: Contractor is not,	is required to sig	n this document and return	cop	pies to the issuing	office.		
14. DESCRIPTION OF AMENDMENT/MODIF where feasible.)	ICATION (Organized	by UCF section headings, including solic	citat	ion/contract subje	ect matter		
See page 2							
Except as provided herein, all terms and conditions of the do	ocument referenced in Item 9	A or 10A, as heretofore changed, remains unchan	ged a	and in full force and e	ffect.		
15A. NAME AND TITLE OF SIGNER (Type o	r print)	16A. NAME AND TITLE OF CO	NTF	RACTING OFFIC	CER (Type	or print)	_
	1	TEL:		EMAIL:	i		
15B. CONTRACTOR/OFFEROR	15C. DATE SIGNEI	16B. UNITED STATES OF AMER	RICA	A	160	C. DATE S	.GNED
	-	BY			10	0-Aug-200	5
(Signature of person authorized to sign)		(Signature of Contracting Off	ficer	:)			

SECTION SF 30 BLOCK 14 CONTINUATION PAGE

THE FOLLOWING INFORMATION WAS INADVERTLY OMMITTED:

1. ADD STATEMENT OF WORK PAGE 1 FOR LAB COATS. (SEE ATTACHED FILE FOR STATEMENT OF WORK, PAGES 1-5)

PREVIOUS HISTORY:

LAB COATS – QTY. 200 @ \$65.00 EACH

COVERALLS – QTY. 300 @ \$65.00 EACH

CLOSING DATE STILL REMAINS THE SAME, SEPTEMBER 8^{TH} , 2005-3:00 PM EST.

Statement of Work

ATTRIBUTE

VALUE

COAT, LAB SIZE LONG SLEEVES MATERIAL.... 8 OUNCE BLEACHED WHITE ROXEL SATEEN BUTTON TYPE..... SEWN ON BUTTON BONE SIDE SEAM OPENINGS IN COAT TO ADDITIONAL DATA..... ALLOW EASY ACCESS TO STREET CLOTHES WORN UNDERNEATH. ONE BREAST POCKET, TWO PATCH POCKET, ONE ON EACH SIDE OF FRONT OF LAB COAT. MUST BE FREE OF METAL AND STAMPED WITH INDELIBLE BLACK INK "FLAME RESISTANT". KICK PLEA T IN BACK

II translated

Statement of Work

ITEM	NAME.	- 20			•							,		COVERALLS

BASIC MATERIALS:....

THE CLOTH SHALL BE A COTTON SAT-EEN, 10.5 OUNCES PER SQUARE YARD. WHITE, NATURAL COLOR, SANFORIZED. THE CLOTH WILL BE FLAMPROOFED TO ROXEL 75 OR EQUAL, TO WITHSTAND 100 WASHINGS WITHOUT SUPPORTING FLAME. FILLING FLUSH SIDE OF THE CLOTH SHALL BE THE FACE. NON-FIBR OUS MATERIALS CONTENT OF THE GREY CLOTH SHALL NOT EXCEED 3%. FASTENERS WILL BE SYNTHETIC HOOK AND PILE THAT LOCK TIGHT WHEN PRESSED TOGETHER. THEY WILL BE ELECTRICALLY CONDUCTIVE TO ELIMI NATE GENERATION OF A STATIC CHARGE UPON THEIR SUDDEN RELEASE THE TYPE FASTENERS ARE INTENDED AS CLOSURES FOR CLOTHING ITEMS AND WILL BE NON-MELTING ARAMID YARNS HAVING A CARBONIZING TEMP-ERATURE OF NOT LESS THAN 675 DE-GREES FARENHEIT AND WITH SHRINK-AGE NOT TO EXCEED 3.0% IN LENGTH AT A WATER TEMPERATURE OF 160 DE GREES FARENHEIT. THREAD WILL BE UNBLEACHED COTTON #30, THREE-PLY OR LONGER IN DIAMETER. THE DESIGN SHALL BE A ONE PIECE

DESIGN:

THE DESIGN SHALL BE A ONE PIECE COVERALL.IT WILL BE OF A LONG FULL BODY DESIGN AND HAVE A SHIRT TYPE COLLAR, LONG SLEEVES

TO WRIST TAPERING FROM NEAR THE ELBOW TOWARD THE WRIST CUFF. TROU SER LEGS ARE TO BE FURNISHED PLAIN AND NON-TAPERED, THE FRONT IS CLOSED BY MEANS OF A FLAP-TYPE CLOSURE (FIG. 1 IS FURNISHED FOR INFORMATION PURPOSES ONLY). SIDE OPENINGS AND A LATTICE HIP POCKET ON THE RIGHT SIDE WILL BE PROVIDED. COVERALLS TO BE LABELED WITH PERMANENT TYPE INSIDE. DESIGN WILL BE TO HIDE THE APPEARANCE OF ALL UNDERGARMENTS WHEN COVERALLS ARE FASTENED AT THE FRONT CLOSURE AND SIDE OPEN-INGS AND WITH SLEEVES AND TROUS-ER LEGS EXTENDED. LOOP AND PILE TAPE TO BE PROVIDED TO TOTALLY SEAL FRONT AND SIDE OPENINGS. COVERALLS SHALL BE WITHOUT BUT--TONS, ZIPPERS, TABS, STRAPS, BUCKLES AND OTHER FOREIGN ITEMS. THE COVERALLS SHALL BE CUT FROM THE BASIC MATERIALS SPECIFIED. PATTERN PARTS WILL BE JOINED WITH 1/2"DOUBLELAPPED SEAMS AND DOUBLESTITCHED. SLEEVE AND TROUS-ER LEG CUFFS MAY BE 3/8" AND SIN GLE STITCHED. COLLARS WILL BE PRO VIDED WITH AN EDGE STITCH 3/16" TO 1/4"FROM EDGE AND SHALL NOT EXTEND TO ENDS OF COLLAR. REINFOR CING ANCHORS SHALL BE AT BOTH

CONSTRUCTION:

ENDS OF SIDE OPENINGS, AT THE CROTCH END OF FRONT CLOSURE AND IN THE JOINING PATTERN CUTS IN THE SLEEVES.LATTICE POCKET WILL BE PROVIDED BY FIVE PIECES OF EQUAL LENGTH, 8 TO 8-1/4"LONG. THE POCKET CONSISTS OF THREE VERTICA L AND TWO HORIZONTAL STRIPS.ONE HORIZONTAL STRIP ACROSS AND EVEN WITH THE TOP EDGES OF THE THREE VERTICAL STRIPS. ENDS OF THE HOR-IZONTAL STRIP EXTENDED 1/2 TO 1/8"BEYOND THE ENDS FO THE VERT-ICAL WITH THE SECOND HORIZONTAL STRIP 4"DOWN FROM THE TOP OF THE TOP STRIP. BARTACK THE HORIZONTAL STRIPS TO THE VERTICAL STRIPS AT EACH CROSSING PRIOR TO ATTACHMEN T. THE FRONT CLOSURE WILL BE PRO-VIDED WITH AN INNER PANEL TO CON SIST OF A THREE-WAY FLAP DESIGN, (FIG. 1) ALLOWING A MINIMUM 2"CLOS URE.CLOSURE WILL FASTEN WITH HOOK AND PILE FASTENERS. A: A 1*PILE TAPE WILL BE STITCH-ED 1/2"FROM EDGE OF THE INNER PANEL FACING THE OUTSIDE-TO EXTEND THROUGH THE CROTCH.STITCH ING WILL CATCH EACH EDGE WITHIN 1/16"AND A VERTICAL STITCH 1/2" FROM EDGE OF TAPE THE ENTIRE LENGTH.

B: A 1"HOOK TAPE SHALL BE PLACED

MATE WITH THE PILE TAPE AND STIT CHED IN LIKE MANNER.

C: SIX 1*SQUARE PILE TAPES WILL BE PLACED ON INSIDE OF LEFT CLOS URE, STARTING ST THE NECK, EVENLY SPACED, TO 1-1/2*FROM CROTCH. STITCHING WILL CATCH ALL EDGES WITHIN 1/16*.

D: SIX HOOK TAPES WILL BE POSITI ONED ON OUTSIDE OF THE RIGHT CLOSURE TO MATE WITH PILE TAPES OF LEFT CLOSURE. STITCHING WILL CATCH ALL EDGES WITHIN 1/16". SIDE OPENINGS WILL BE PROVIDED ON EACH SIDE. OPENINGS WILL BE SEVEN INCHES IN LENGTH AND WILL FASTEN WITH A CONTINUOUS HOOK AND PILE TAPE OF 1"WIDTH THE EN-TIRE OPENING. STITCHING WILL BE AS SPECIFIED FOR FRONT CLOSURES. THE COVERALLS SHALL HAVE A PERM-ANENT TYPE LABEL, SEWN IN OR STEN CILED, INSIDE AT THE LOWER CENTER NECKLINE BASE. LABEL TO READ:

MEN'S COVERALLS

SIZE

PERMANENTLY FLAMEPROOFED
WEAR AS OUTER GARMENT
KEEP FRONT AND SIDE OPENINGS
CLOSED

WASH AT LOW TEMPERATURE